

- Abelev, M.Y. see Montes, P., 176
Abelev, Y.M. see Montes, P., 176
Afrouz, A., Hassani, F.P., and Scoble, M.J. The performance of longwall gate roads with soft floors, 279
Alkins, J.C. see Landva, A.O., 138
Anderson, M.G. see Lew, K.V., 634
Andrews, M. see Graham, J., 238
Arroyo, R., and Sagaseta, C. Undrained shear strength in the surficial weathered crust: Discussion, 173
Ashour, H.A. A compressive strength criterion for anisotropic rock materials, 233
Atkinson, J.H., and Little, J.A. Undrained triaxial strength and stress-strain characteristics of a glacial till soil, 428
Avramidis, A.S. see Saxena, S.K., 353
Baikie, L.D. Casagrande resistance envelopes for rock and rockfill slopes having circular slip surfaces, 42
Banerjee, P.K., Kumbhojkar, A.S., and Yousif, N.B. Finite element analysis of the stability of a vertical cut using an anisotropic soil model, 119
Banerjee, P.K. see Mitchell, R.J., 408
Banerjee, P.K. see Been, K., 408
Barbour, S.L. see Wong, D.K.H., 292
Barone, F. see Rowe, R.K., 108
Becker, D.E. see Jefferies, M.G., 624
Been, K. Developments in soil mechanics and foundation engineering—2. Edited by P. K. Banerjee and R. Butterfield, 408
Brown, P.T. see Robertson, P.K., 56
Budhu, M. Failure state of a sand in simple shear, 395
Butterfield, R. see Georgiadis, M., 199
Butterfield, R. see Mitchell, R.J., 408
Butterfield, R. see Been, K., 408
Caers, C.J. see Rowe, R.K., 108
Campanella, R.G. see Robertson, P.K., 56
Carlson, L.E., and Nixon, J.F. (Derick) Subsoil investigation of ice lensing at the Calgary, Canada, frost heave test facility, 307
Chapuis, R.P. Two case histories of major frost heaving in refrigerated buildings: thermal analyses, repairs, and prevention, 535
Chapuis, R.P., Silvestri, V., and Soulié, M. Theoretical bearing capacity of clay under shallow footings: verifying whether it is realistic, 62
Charalambous, P.D. see Landva, A.O., 138
Chow, Y.K., Karunaratne, G.P., Wong, K.Y., and Lee, S.L. Prediction of load-carrying capacity of driven piles, 13
Chudnovsky, A., Saada, A., and Lesser, A.J. Micromechanisms of deformation in fracture of overconsolidated clays, 213
Clark, J.I., and Guigné, J.Y. Marine geotechnical engineering in Canada, 179
Clark, J.I., and Landva, J. Geotechnical aspects of seabed pits in the Grand Banks area, 448
Collins, D.S. see Nichols, T.C., Jr., 369
Crawford, C.B., and deBoer, L.J. Field observations of soft clay consolidation in the Fraser Lowland: Reply, 632
Crooks, J.H.A. see Jefferies, M.G., 624
Cruden, D.M., and Eaton, T.M. Erratum: Reconnaissance of rockslide hazards in Kananaskis Country, Alberta, 411
Dascal, O. see Lefebvre, G., 175
deBoer, L.J. see Crawford, C.B., 632
Domaschuk, L. The permafrost environment. By Stuart A. Harris, 409
Domaschuk, L. see Kjartanson, B.H., 250
Dounias, G.T., Potts, D.M., and Vaughan, P.R. The shear strength of soils containing undulating shear zones—a numerical study, 550
Duncan, E.J.S. see Lajtai, E.Z., 262
Dyke, L., and Egginton, P. Till behavior and its relationship to active-layer hydrology, District of Keewatin, Northwest Territories, 167
Eaton, T.M. see Cruden, D.M., 411
Egginton, P. see Dyke, L., 167
Eyles, N., and Howard, K.W.F. A hydrochemical study of urban landslides caused by heavy rain: Scarborough Bluffs, Ontario, Canada, 455
Feng, T.W. see Mesri, G., 621
Fernandez, F., and Quigley, R.M. Viscosity and dielectric constant controls on the hydraulic conductivity of clayey soils permeated with water-soluble organics, 582
Fernandez, F. see Quigley, R.M., 574
Finlay, T.W. see Ponniah, D.A., 374
Finn, W.D.L., and Nichols, A.M. Seismic response of long-period sites: lessons from the September 19, 1985, Mexican earthquake, 128
Fredlund, D.G. see Wong, D.K.H., 292
Fredlund, D.G. see Gan, J.K.M., 500
Gan, J.K.M., Fredlund, D.G., and Rahardjo, H. Determination of the shear strength parameters of an unsaturated soil using the direct shear test, 500
Garga, V.K. Effect of sample size on consolidation of a fissured clay, 76
Garga, V.K. Effect of sample size on shear strength of basaltic residual soils, 478
Georgiadis, M., and Butterfield, R. Displacements of footings on sand under eccentric and inclined loads, 199
Graham, J., Andrews, M., and Shields, D.H. Stress characteristics for shallow footings in cohesionless slopes, 238
Gray, J.T., Pilon, J., and Poitevin, J. A method to estimate active-layer thickness on the basis of correlations between terrain and climatic parameters as measured in northern Quebec, 607
Griffiths, D.V. Numerical studies of soil-structure interaction using a simple interface model, 158
Griffiths, F.J. see Houlsby, G.T., 633
Guigné, J.Y. see Clark, J.I., 179
Han, Y., and Novak, M. Dynamic behaviour of single piles under strong harmonic excitation, 523
Harris, S.A. see Domaschuk, L., 409
Hassani, F.P. see Afrouz, A., 279
Hill, P.R. see Jefferies, M.G., 624
Houlsby, G.T. Prediction and performance in geotechnical engineering. Edited by R. C. Joshi and F. J. Griffiths, 633
Howard, K.W.F. see Eyles, N., 455
Hutter, K. see Vulliet, L., 467
Ismael, N.F., Jeragh, A.M., Khalidi, O.A., and Mollah, M.A.

- Correlation between standard penetration test values and overburden pressure for desert sands, 590
- Jefferies, M.G.** Determination of horizontal geostatic stress in clay with self-bored pressuremeter, 559
- Jefferies, M.G., Crooks, J.H.A., Becker, D.E., and Hill, P.R.** Independence of geostatic stress from overconsolidation in some Beaufort Sea clays: Reply, 624
- Jeragh, A.M.** see Ismael, N.F., 590
- Joshi, R.C.** see Sharma, H.D., 222
- Joshi, R.C.** see Housley, G.T., 633
- Juárez-Badillo, E.** Postsurcharge secondary compression equation for clays, 594
- Juárez-Badillo, E.** Field observations of soft clay consolidation in the Fraser Lowland: Discussion, 631
- Kaiser, P.K.** see Wong, R.C.K., 320
- Kaiser, P.K.** see Wong, R.C.K., 338
- Karunaratne, G.P.** see Chow, Y.K., 13
- Khalidi, O.A.** see Ismael, N.F., 590
- King, K.W.** see Nichols, T.C., Jr., 369
- Kjartanson, B.H., Shields, D.H., Domaschuk, L., and Man, C.-S.** The creep of ice measured with the pressuremeter, 250
- Kulhawy, F.H.** see Mayne, P.W., 617
- Kumbhojkar, A.S.** see Banerjee, P.K., 119
- Lajtai, E.Z., and Duncan, E.J.S.** The mechanism of deformation and fracture in potash rock, 262
- Landva, A.O., Valsangkar, A.J., Alkins, J.C., and Charalambous, P.D.** Performance of a raft foundation supporting a multistorey structure, 138
- Landva, J.** see Clark, J.I., 448
- La Rochelle, P., Tavenas, F., and Leroueil, S.** Les argiles de l'est du Canada et leur contribution à la compréhension du comportement de l'argile, 413
- Lee, S.L.** see Chow, Y.K., 13
- Lefebvre, G., and Malenfant, S.** Cyclic shear strength of a loose glacial till, 401
- Lefebvre, G., Paré, J.-J., and Dascal, O.** Undrained shear strength in the surficial weathered crust: Reply, 175
- Legget, R.F.** Thomas Roy and his "Remarks on road-making" (1841), 1
- Leroueil, S.** Tenth Canadian Geotechnical Colloquium: Recent developments in consolidation of natural clays, 85
- Leroueil, S.** see Locat, J., 382
- Leroueil, S.** see La Rochelle, P., 413
- Lesser, A.J.** see Chudnovsky, A., 213
- Lew, K. V.** Slope stability: geotechnical engineering and geomorphology. *Edited by M. G. Anderson and K. S. Richards*, 634
- Li, L., and Mitchell, R.** Effects of reinforcing elements on the behavior of weakly cemented sands, 389
- Little, J.A.** see Atkinson, J.H., 428
- Locat, J., and Leroueil, S.** Physicochemical and geotechnical characteristics of recent Saguenay Fjord sediments, 382
- Mair, R.J.** see Shields, D.H., 634
- Malenfant, S.** see Lefebvre, G., 401
- Man, C.-S.** see Kjartanson, B.H., 250
- Mayne, P.W., and Kulhawy, F.H.** Independence of geostatic stress from overconsolidation in some Beaufort Sea clays: Discussion, 617
- Mayne, P.W., and Mitchell, J.K.** Profiling of overconsolidation ratio in clays by field vane, 150
- Mesri, G., and Feng, T.W.** Independence of geostatic stress from overconsolidation in some Beaufort Sea clays: Discussion, 621
- Meyerhof, G.G., Sastry, V.V.R.N., and Yalcin, A.S.** Lateral resistance and deflection of flexible piles, 511
- Mitchell, J.K.** see Mayne, P.W., 150
- Mitchell, R.** see Li, L., 389
- Mitchell, R.J.** Developments in soil mechanics and foundation engineering—1. *Edited by R. K. Banerjee and R. Butterfield*, 408
- Mollah, M.A.** see Ismael, N.F., 590
- Montes, P.** Bases de l'élaboration des projets et de la construction sur les sols loessiques affaissables (Traduction française de la 3^e édition russe (1979)). *Par Yu M. Abelev et M. Yu Abelev*, 176
- Morin, P.** Density of granular materials derived from X-ray photographs: calibration, reliability, and recommended procedures, 488
- Mourato, D.** see Yong, R.N., 599
- Nasmith, H.W.** see Seychuk, J.L., 177
- Negussey, D., Wijewickreme, W.K.D., and Vaid, Y.P.** Constant-volume friction angle of granular materials, 50
- Nichols, A.M.** see Finn, W.D.L., 128
- Nichols, T.C., Jr., King, K.W., Collins, D.S., and Williams, R.A.** Seismic-reflection technique used to verify shallow rebound fracture zones in the Pierre Shale of South Dakota, 369
- Nixon, J.F.(D.)** Pile load tests in saline permafrost at Clyde River, Northwest Territories, 24
- Nixon, J.F.(D.)** see Carlson, L.E., 307
- Novak, M.** see Han, Y., 523
- Oda, M.** A method for evaluating the representative elementary volume based on joint survey of rock masses, 440
- Oswell, J.M.** see Sladen, J.A., 541
- Paré, J.-J.** see Lefebvre, G., 175
- Pilon, J.** see Gray, J.T., 607
- Poittevin, J.** see Gray, J.T., 607
- Ponniah, D.A., and Finlay, T.W.** Cyclic behaviour of plate anchors, 374
- Potts, D.M.** see Dounias, G.T., 550
- Quigley, R.M., Fernandez, F., and Rowe, R.K.** Clayey barrier assessment for impoundment of domestic waste leachate (southern Ontario) including clay-leachate compatibility by hydraulic conductivity testing, 574
- Quigley, R.M.** see Fernandez, F., 582
- Rahardjo, H.** see Gan, J.K.M., 500
- Reddy, K.R.** see Saxena, S.K., 353
- Richards, K.S.** see Lew, K.V., 634
- Robertson, P.K., Campanella, R.G., Brown, P.T., and Robinson, K.E.** Prediction of wick drain performance using piezometer cone data, 56
- Robinson, K.E.** see Robertson, P.K., 56
- Rowe, R.K., Caers, C.J., and Barone, F.** Laboratory determination of diffusion and distribution coefficients of contaminants using undisturbed clayey soil, 108
- Rowe, R.K.** see Quigley, R.M., 574
- Saada, A.** see Chudnovsky, A., 213
- Sagaseta, C.** see Arroyo, R., 173
- Sastry, V.V.R.N.** see Meyerhof, G.G., 511
- Saxena, S.K., Avramidis, A.S., and Reddy, K.R.** Dynamic moduli and damping ratios for cemented sands at low strains, 353
- Scoble, M.J.** see Afrouz, A., 279
- Seychuk, J.L.** Suit is a four letter word. *By Hugh W. Nasmith*, 177
- Sharma, H.D., and Joshi, R.C.** Drilled pile behaviour in granular deposits, 222
- Shen, M.** Numerical analysis of temperature field in a thawing embankment in permafrost, 163
- Shields, D.H.** Pressuremeter testing: methods and interpretation. *By R. J. Mair and D. M. Wood*, 634
- Shields, D.H.** see Graham, J., 238
- Shields, D.H.** see Kjartanson, B.H., 250

- Silvestri, V.** see Chapuis, R.P., 62
- Sladen, J.A., and Oswell, J. M.** The induced trench method—a critical review and case history, 541
- Soulié, M.** see Chapuis, R.P., 62
- Tavenas, F.** see La Rochelle, P., 413
- Vaid, Y.P.** see Negussey, D., 50
- Valsangkar, A.J.** see Landva, A.O., 138
- Vaughan, P.R.** see Dounias, G.T., 550
- Vucetic, M.** Normalized behavior of offshore clay under uniform cyclic loading, 33
- Vuliet, L., and Hutter, K.** Viscous-type sliding laws for landslides, 467
- Wijewickreme, W.K.D.** see Negussey, D., 50
- Williams, R.A.** see Nichols, T.C., Jr., 369
- Wong, D.K.H., Barbour, S.L., and Fredlund, D.G.** Modelling of flow through potash tailings piles, 292
- Wong, K.Y.** see Chow, Y.K., 13
- Wong, R.C.K., and Kaiser, P.K.** Design and performance evaluation of vertical shafts: rational shaft design method and verification of design method, 320
- Wong, R.C.K., and Kaiser, P.K.** Behaviour of vertical shafts: reevaluation of model test results and evaluation of field measurements, 338
- Wood, D.M.** see Shields, D.H., 634
- Yalcin, A.S.** see Meyerhof, G.G., 511
- Yong, R.N., and Mourato, D.** Extraction and characterization of organics from two Champlain Sea subsurface soils, 599
- Yousif, N.B.** see Banerjee, P.K., 119

A. General

02. *Historical Aspects*

- Thomas Roy and his "Remarks on road-making" (1841). Legget, R.F., 1.
Marine geotechnical engineering in Canada. Clark, J.I., and Guigné, J.Y., 179.

04. *Textbooks, Handbooks, and Periodicals*

- Bases de l'élaboration des projets et de la construction sur les sols loessiques affaissables (Traduction française de la 3^e édition russe (1979)). Par Yu M. Abelev et M. Yu Abelev. Montes, P., 176.
Suit is a four letter word. By Hugh W. Nasmith. Seychuk, J.L., 177.
Developments in soil mechanics and foundation engineering—1. Edited by P.K. Banerjee and R. Butterfield. Mitchell, R.J., 408.
Developments in soil mechanics and foundation engineering—2. Edited by P.K. Banerjee and R. Butterfield. Been, K., 408.
The permafrost environment. By Stuart A. Harris. Domaschuk, L., 409.
Prediction and performance in geotechnical engineering. Edited by R.C. Joshi and F.J. Griffiths. Houlsby, G.T., 633.
Pressuremeter testing: methods and interpretation. By R.J. Mair and D.M. Wood. Shields, D.H., 634.
Slope stability: geotechnical engineering and geomorphology. Edited by M.G. Anderson and K.S. Richards. Lew, K.V., 634.
Modeling groundwater flow and pollution. By Jacob Bear and Arnold Verruijt. Freeze, A., 851.
Ground engineer's reference book. Edited by F.G. Bell. McRostie, G., 852.
Down to earth—Foundations past and present: the invisible art of the builder. By Jean Kerisel. Lansdown, A.M., 853.
Aggregates: sand, gravel, and crushed rock aggregates for construction purposes. Edited by L. Collis and R.A. Fox. Rogers, C.A., 854.

08. *Professional Ethics, Legal Requirements, Codes of Practice, and Standardization*

- Suit is a four letter word. By Hugh W. Nasmith. Seychuk, J.L., 177.

10. *Research Activities*

- Marine geotechnical engineering in Canada. Clark, J.I., and Guigné, J.Y., 179.

B. Geological and Environmental Aspects

01. *Formation of Soils and Rocks*

- Micromechanisms of deformation in fracture of overconsolidated clays. Chudnovsky, A., Saada, A., and Lesser, A.J., 213.
Physicochemical and geotechnical characteristics of recent Saguenay Fjord sediments. Locat, J., and Leroueil, S., 382.
Independence of geostatic stress from overconsolidation in some Beaufort Sea clays: Discussion. Mayne, P.W., and Kulhawy, F.H., 617.
Independence of geostatic stress from overconsolidation in some Beaufort Sea clays: Discussion. Mesri, G., and Feng, T.W., 621.
Independence of geostatic stress from overconsolidation in some Beaufort Sea clays: Reply. Jefferies, M.G., Crooks, J.H.A., Becker, D.E., and Hill, P.R., 624.

02. *Hydrogeological Aspects*

- Laboratory determination of diffusion and distribution coefficients of contaminants using undisturbed clayey soil. Rowe, R.K., Caers, C.J., and Barone, F., 108.
Till behavior and its relationship to active-layer hydrology, District of Keewatin, Northwest Territories. Dyke, L., and Egginton, P., 167.
Modelling of flow through potash tailings piles. Wong, D.K.H., Barbour, S.L., and Fredlund, D.G., 292.
A hydrochemical study of urban landslides caused by heavy rain: Scarborough Bluffs, Ontario, Canada. Eyles, N., and Howard, K.W.F., 455.
Clayey barrier assessment for impoundment of domestic waste leachate (southern Ontario) including clay-leachate compatibility by hydraulic conductivity testing. Quigley, R.M., Fernandez, F., and Rowe, R.K., 574.
Dewatering optimization using a groundwater flow model at the Whitewood open-pit coal mine, Alberta. Sumer, S.M., Elton, J.J., and Tapics, J.A., 684.
Modeling groundwater flow and pollution. By Jacob Bear and Arnold Verruijt. Freeze, A., 851.

03. *Mass Movements and Land Subsidence*

- Erratum: Reconnaissance of rockslide hazards in Kananaskis Country, Alberta. Cruden, D.M., and Eaton, T.M., 411.

04. *Seismic Activity and Crustal Movements*

- Seismic response of long-period sites: lessons from the September 19, 1985, Mexican earthquake. Finn, W.D.L., and Nichols, A.M., 128.

¹Based on the International Geotechnical Classification System (IGC) as revised in 1981.

06. *Submarine Geological Aspects*

- Marine geotechnical engineering in Canada. Clark, J.I., and Guigné, J.Y., 179.
 Geotechnical aspects of seabed pits in the Grand Banks area. Clark, J.I., and Landva, J., 448.
 Independence of geostatic stress from overconsolidation in some Beaufort Sea clays: Discussion. Mayne, P.W., and Kulhawy, F.H., 617.
 Independence of geostatic stress from overconsolidation in some Beaufort Sea clays: Discussion. Mesri, G., and Feng, T.W., 621.
 Independence of geostatic stress from overconsolidation in some Beaufort Sea clays: Reply. Jefferies, M.G., Crooks, J.H.A., Becker, D.E., and Hill, P.R., 624.

09. *Geomorphologic Aspects and Terrain Classification*

- Geotechnical aspects of seabed pits in the Grand Banks area. Clark, J.I., and Landva, J., 448.
 A method to estimate active-layer thickness on the basis of correlations between terrain and climatic parameters as measured in northern Quebec. Gray, J.T., Pilon, J., and Poitevin, J., 607.
 Independence of geostatic stress from overconsolidation in some Beaufort Sea clays: Discussion. Mayne, P.W., and Kulhawy, F.H., 617.
 Independence of geostatic stress from overconsolidation in some Beaufort Sea clays: Discussion. Mesri, G., and Feng, T.W., 621.
 Independence of geostatic stress from overconsolidation in some Beaufort Sea clays: Reply. Jefferies, M.G., Crooks, J.H.A., Becker, D.E., and Hill, P.R., 624.
 First R.M. Hardy Memorial Lecture: Fracture lineament research and applications on the western Canadian plains. Mollard, J.D., 749.

11. *Description of Regional Soil and Rock Conditions*

- Seismic response of long-period sites: lessons from the September 19, 1985, Mexican earthquake. Finn, W.D.L., and Nichols, A.M., 128.
 Seismic-reflection technique used to verify shallow rebound fracture zones in the Pierre Shale of South Dakota. Nichols, T.C., Jr., King, K.W., Collins, D.S., and Williams, R.A., 369.
 Physicochemical and geotechnical characteristics of recent Saguenay Fjord sediments. Locat, J., and Leroueil, S., 382.
 Erratum: Reconnaissance of rockslide hazards in Kananaskis Country, Alberta. Cruden, D.M., and Eaton, T.M., 411.
 Les argiles de l'est du Canada et leur contribution à la compréhension du comportement de l'argile. La Rochelle, P., Tavenas, F., et Leroueil, S., 413.
 Undrained triaxial strength and stress-strain characteristics of a glacial till soil. Atkinson, J.H., and Little, J.A., 428.
 Geotechnical engineering beyond soil mechanics—a case study. Morgenstern, N.R., Fair, A.E., and McRoberts, E.C., 637.
 First R.M. Hardy Memorial Lecture: Fracture lineament research and applications on the western Canadian plains. Mollard, J.D., 749.
 Mining subsidence in Lethbridge, Alberta. Sladen, J.A., and Joshi, R.C., 768.
 Subsurface fracture surveys using a borehole television camera and acoustic televiewer: Discussion. Cruden, D.M., 843.
 Subsurface fracture surveys using a borehole television camera and acoustic televiewer: Reply. Lau, J.S.O., Auger, L.F., and Bisson, J.G., 844.

C. *Site Investigations*01. *Airphoto Surveys and Remote Sensing*

- First R.M. Hardy Memorial Lecture: Fracture lineament research and applications on the western Canadian plains. Mollard, J.D., 749.

02. *Geophysical Surveys*

- Seismic-reflection technique used to verify shallow rebound fracture zones in the Pierre Shale of South Dakota. Nichols, T.C., Jr., King, K.W., Collins, D.S., and Williams, R.A., 369.

03. *Probing (Soundings)*

- Correlation between standard penetration test values and overburden pressure for desert sands. Ismael, N.F., Jeragh, A.M., Khalidi, O.A., and Mollah, M.A., 590.

05. *Boring Techniques and Equipment (cf. C 10)*

- Determination of horizontal geostatic stress in clay with self-bored pressuremeter. Jefferies, M.G., 559.
 Pressuremeter testing: methods and interpretation. By R.J. Mair and D.M. Wood. Shields, D.H., 634.

06. *Sampling*

- Effect of sample size on consolidation of a fissured clay. Garga, V.K., 76.
 Tenth Canadian Geotechnical Colloquium: Recent developments in consolidation of natural clays. Leroueil, S., 85.
 Effect of sample size on shear strength of basaltic residual soils. Garga, V.K., 478.

07. *Measurement of Field Conditions (incl. Post-Construction Monitoring)*

- Profiling of overconsolidation ratio in clays by field vane. Mayne, P.W., and Mitchell, J.K., 150.
 Undrained shear strength in the surficial weathered crust: Discussion. Arroyo, R., and Sagaseta, C., 173.
 Undrained shear strength in the surficial weathered crust: Reply. Lefebvre, G., Paré, J.-J., and Dascal, O., 175.
 Bases de l'élaboration des projets et de la construction sur les sols loessiques affaissables (Traduction française de la 3^e édition russe (1979)). Par Yu M. Abelev et M. Yu Abelev. Montes, P., 176.
 The creep of ice measured with the pressuremeter. Kjartanson, B.H., Shields, D.H., Domaschuk, L., and Man, C.-S., 250.
 A hydrochemical study of urban landslides caused by heavy rain: Scarborough Bluffs, Ontario, Canada. Eyles, N., and Howard, K.W.F., 455.
 Clayey barrier assessment for impoundment of domestic waste leachate (southern Ontario) including clay-leachate compatibility by hydraulic conductivity testing. Quigley, R.M., Fernandez, F., and Rowe, R.K., 574.
 Pressuremeter testing: methods and interpretation. By R.J. Mair and D.M. Wood. Shields, D.H., 634.
 Preconsolidation pressures in intertill glaciolacustrine clay near Blaine Lake, Saskatchewan. Sauer, E.K., and Christiansen, E.A., 831.

08. *Field Testing (excl. Tests for Engineering Properties, see Groups D and F)*
 Prediction of wick drain performance using piezometer cone data. Robertson, P.K., Campanella, R.G., Brown, P.T., and Robinson, K.E., 56.
 Numerical analysis of temperature field in a thawing embankment in permafrost. Shen, M., 163.
 Seismic-reflection technique used to verify shallow rebound fracture zones in the Pierre Shale of South Dakota. Nichols, T.C., Jr., King, K.W., Collins, D.S., and Williams, R.A., 369.
 Dewatering optimization using a groundwater flow model at the Whitewood open-pit coal mine, Alberta. Sumer, S.M., Elton, J.J., and Tapics, J.A., 684.
09. *Presentation of Results*
 Work as a criterion for determining *in situ* and yield stresses in clays: Discussion. Morin, P., 845.
 Work as a criterion for determining *in situ* and yield stresses in clays: Reply. Becker, D.E., Crooks, J.H.A., Been, K., and Jefferies, M.G., 848.
10. *Underwater Site Investigations*
 Marine geotechnical engineering in Canada. Clark, J.I., and Guigné, J.Y., 179.

D. Soil Properties: Laboratory and *In-Situ* Determinations

01. *Classification and Description of Soils*
 Micromechanisms of deformation in fracture of overconsolidated clays. Chudnovsky, A., Saada, A., and Lesser, A.J., 213.
 Density of granular materials derived from X-ray photographs: calibration, reliability, and recommended procedures. Morin, P., 488.
 Determination of horizontal geostatic stress in clay with self-bored pressuremeter. Jefferies, M.G., 559.
 Geotechnical engineering beyond soil mechanics—a case study. Morgenstern, N.R., Fair, A.E., and McRoberts, E.C., 637.
 Coal ash as structural fill, with special reference to Ontario experience. Toth, P.S., Chan, H.T., and Cragg, C.B., 694.
 Aggregates: sand, gravel, and crushed rock aggregates for construction purposes. Edited by L. Collis and R.A. Fox. Rogers, C.A., 854.
02. *Physico-Chemical Properties*
 Laboratory determination of diffusion and distribution coefficients of contaminants using undisturbed clayey soil. Rowe, R.K., Caers, C.J., and Barone, F., 108.
 Physicochemical and geotechnical characteristics of recent Saguenay Fjord sediments. Locat, J., and Leroueil, S., 382.
 Viscosity and dielectric constant controls on the hydraulic conductivity of clayey soils permeated with water-soluble organics. Fernandez, F., and Quigley, R.M., 582.
 Extraction and characterization of organics from two Champlain Sea subsurface soils. Yong, R.N., and Mourato, D., 599.
 Effect of surfactants on the mechanical properties of a kaolinite in relation to the solid-liquid contact angles. Fleureau, J.-M., Wignyardarsono, L., and Zerhouni, M.-I., 675.
 Viscosity, yield stress, remolded strength, and liquidity index relationships for sensitive clays. Locat, J., and Demers, D., 799.
03. *Composition, Structure, Density, and Water Contents*
 Micromechanisms of deformation in fracture of overconsolidated clays. Chudnovsky, A., Saada, A., and Lesser, A.J., 213.
 Preconsolidation pressures in intertill glaciolacustrine clay near Blaine Lake, Saskatchewan. Sauer, E.K., and Christiansen, E.A., 831.
 Aggregates: sand, gravel, and crushed rock aggregates for construction purposes. Edited by L. Collis and R.A. Fox. Rogers, C.A., 854.
04. *Hydraulic Properties*
 Prediction of wick drain performance using piezometer cone data. Robertson, P.K., Campanella, R.G., Brown, P.T., and Robinson, K.E., 56.
 Till behavior and its relationship to active-layer hydrology, District of Keewatin, Northwest Territories. Dyke, L., and Egginton, P., 167.
 Modelling of flow through potash tailings piles. Wong, D.K.H., Barbour, S.L., and Fredlund, D.G., 292.
 Clayey barrier assessment for impoundment of domestic waste leachate (southern Ontario) including clay-leachate compatibility by hydraulic conductivity testing. Quigley, R.M., Fernandez, F., and Rowe, R.K., 574.
05. *Compressibility and Swelling*
 Effect of sample size on consolidation of a fissured clay. Garga, V.K., 76.
 Tenth Canadian Geotechnical Colloquium: Recent developments in consolidation of natural clays. Leroueil, S., 85.
 Profiling of overconsolidation ratio in clays by field vane. Mayne, P.W., and Mitchell, J.K., 150.
 Developments in soil mechanics and foundation engineering—2. Edited by P.K. Banerjee and R. Butterfield. Been, K., 408.
 Les argiles de l'est du Canada et leur contribution à la compréhension du comportement de l'argile. La Rochelle, P., Tavenas, F., et Leroueil, S., 413.
 Effect of sample size on shear strength of basaltic residual soils. Garga, V.K., 478.
 Postsurcharge secondary compression equation for clays. Juárez-Badillo, E., 594.
 Coal ash as structural fill, with special reference to Ontario experience. Toth, P.S., Chan, H.T., and Cragg, C.B., 694.
 Thermal volume changes of the mineral-water system in low-porosity clay soils. Baldi, G., Hueckel, T., and Pellegrini, R., 807.
 Work as a criterion for determining *in situ* and yield stresses in clays: Discussion. Morin, P., 845.
 Work as a criterion for determining *in situ* and yield stresses in clays: Reply. Becker, D.E., Crooks, J.H.A., Been, K., and Jefferies, M.G., 848.
06. *Shear-Deformation and Strength Properties*
 Normalized behavior of offshore clay under uniform cyclic loading. Vucetic, M., 33.
 Constant-volume friction angle of granular materials. Negussey, D., Wijewickreme, W.K.D., and Vaid, Y.P., 50.
 Profiling of overconsolidation ratio in clays by field vane. Mayne, P.W., and Mitchell, J.K., 150.
 Undrained shear strength in the surficial weathered crust: Discussion. Arroyo, R., and Sagasetta, C., 173.
 Undrained shear strength in the surficial weathered crust: Reply. Lefebvre, G., Paré, J.-J., and Dascal, O., 175.

- Micromechanisms of deformation in fracture of overconsolidated clays. Chudnovsky, A., Saada, A., and Lesser, A.J., 213.
- Dynamic moduli and damping ratios for cemented sands at low strains. Saxena, S.K., Avramidis, A.S., and Reddy, K.R., 353.
- Physicochemical and geotechnical characteristics of recent Saguenay Fjord sediments. Locat, J., and Leroueil, S., 382.
- Failure state of a sand in simple shear. Budhu, M., 395.
- Cyclic shear strength of a loose glacial till. Lefebvre, G., and Malenfant, S., 401.
- Developments in soil mechanics and foundation engineering—2. Edited by P.K. Banerjee and R. Butterfield. Been, K., 408.
- Les argiles de l'est du Canada et leur contribution à la compréhension du comportement de l'argile. La Rochelle, P., Tavenas, F., et Leroueil, S., 413.
- Undrained triaxial strength and stress-strain characteristics of a glacial till soil. Atkinson, J.H., and Little, J.A., 428.
- Determination of the shear strength parameters of an unsaturated soil using the direct shear test. Gan, J.K.M., Fredlund, D.G., and Rahardjo, H., 500.
- The shear strength of soils containing undulating shear zones—a numerical study. Dounias, G.T., Potts, D.M., and Vaughan, P.R., 550.
- Determination of horizontal geostatic stress in clay with self-bored pressuremeter. Jefferies, M.G., 559.
- Coal ash as structural fill, with special reference to Ontario experience. Toth, P.S., Chan, H.T., and Cragg, C.B., 694.
- Viscosity, yield stress, remolded strength, and liquidity index relationships for sensitive clays. Locat, J., and Demers, D., 799.
- Thermal volume changes of the mineral-water system in low-porosity clay soils. Baldi, G., Hueckel, T., and Pellegrini, R., 807.
- 07. Dynamic Properties**
- Seismic response of long-period sites: lessons from the September 19, 1985, Mexican earthquake. Finn, W.D.L., and Nichols, A.M., 128.
- Dynamic moduli and damping ratios for cemented sands at low strains. Saxena, S.K., Avramidis, A.S., and Reddy, K.R., 353.
- Cyclic behaviour of plate anchors. Ponniah, D.A., and Finlay, T.W., 374.
- Cyclic shear strength of a loose glacial till. Lefebvre, G., and Malenfant, S., 401.
- Viscosity, yield stress, remolded strength, and liquidity index relationships for sensitive clays. Locat, J., and Demers, D., 799.
- 08. Thermal Properties**
- A method to estimate active-layer thickness on the basis of correlations between terrain and climatic parameters as measured in northern Quebec. Gray, J.T., Pilon, J., and Poitevin, J., 607.
- Thermal volume changes of the mineral-water system in low-porosity clay soils. Baldi, G., Hueckel, T., and Pellegrini, R., 807.
- 09. Compactibility**
- Density of granular materials derived from X-ray photographs: calibration, reliability, and recommended procedures. Morin, P., 488.
- 10. Properties of Soil-Additive Mixtures**
- Effects of reinforcing elements on the behavior of weakly cemented sands. Li, L., and Mitchell, R., 389.
- Effect of surfactants on the mechanical properties of a kaolinite in relation to the solid-liquid contact angles. Fleureau, J.-M., Wignyardarsono, L., and Zerhouni, M.-I., 675.

E. Analysis of Soil-Engineering Problems

- 00. General**
- Ground engineer's reference book. Edited by F.G. Bell. McRostie, G., 852.
- 01. Stress Analysis**
- Developments in soil mechanics and foundation engineering—2. Edited by P.K. Banerjee and R. Butterfield. Been, K., 408.
- 02. Deformation and Settlement Problems**
- Prediction of load-carrying capacity of driven piles. Chow, Y.K., Karunaratne, G.P., Wong, K.Y., and Lee, S.L., 13.
- Performance of a raft foundation supporting a multistorey structure. Landva, A.O., Valsangkar, A.J., Alkins, J.C., and Charalambous, P.D., 138.
- Field observations of soft clay consolidation in the Fraser Lowland: Discussion. Juárez-Badillo, E., 631.
- Field observations of soft clay consolidation in the Fraser Lowland: Reply. Crawford, C.B., and deBoer, L.J., 632.
- Analysis of foundation settlements at Ridgway Dam. Chugh, A.K., and Davidson, L.W., 716.
- 03. Bearing Capacity of Shallow Foundations**
- Theoretical bearing capacity of clay under shallow footings: verifying whether it is realistic. Chapuis, R.P., Silvestri, V., and Soulié, M., 62.
- Displacements of footings on sand under eccentric and inclined loads. Georgiadis, M., and Butterfield, R., 199.
- Stress characteristics for shallow footings in cohesionless slopes. Graham, J., Andrews, M., and Shields, D.H., 238.
- Field measurements of the behavior of inclined footings on a natural slope. Clark, J.I., McKeown, S., and Crawford, C.B., 662.
- Down to earth—Foundations past and present: the invisible art of the builder. By Jean Kerisel. Lansdown, A.M., 853.
- 04. Bearing Capacity of Piles and other Deep Foundations**
- Prediction of load-carrying capacity of driven piles. Chow, Y.K., Karunaratne, G.P., Wong, K.Y., and Lee, S.L., 13.
- Pile load tests in saline permafrost at Clyde River, Northwest Territories. Nixon, J.F.(D.), 24.
- Dynamic behaviour of single piles under strong harmonic excitation. Han, Y., and Novak, M., 523.
- Large-diameter bored and grouted piles in marine sediment of the Red Sea. Ghazali, F.M., Sotiropoulos, E., and Mansour, O.A., 826.
- Down to earth—Foundations past and present: the invisible art of the builder. By Jean Kerisel. Lansdown, A.M., 853.
- 05. Earth Pressure Problems**
- Finite element analysis of the stability of a vertical cut using an anisotropic soil model. Banerjee, P.K., Kumbhojkar, A.S., and Yousif, N.B., 119.

06. *Stability of Slopes and Excavations*

- Finite element analysis of the stability of a vertical cut using an anisotropic soil model. Banerjee, P.K., Kumbhojkar, A.S., and Yousif, N.B., 119.
 Viscous-type sliding laws for landslides. Vulliet, L., and Hutter, K., 467.
 Slope stability: geotechnical engineering and geomorphology. Edited by M.G. Anderson and K.S. Richards. Lew, K.V., 634.
 Geotechnical engineering beyond soil mechanics—a case study. Morgenstern, N.R., Fair, A.E., and McRoberts, E.C., 637.
 Behaviour of a test excavation in soft Champlain Sea clay. Lafleur, J., Silvestri, V., Asselin, R., and Soulié, M., 705.
 Evaluation of minimum factor of safety in slope stability analysis. Chen, Z.-y., and Shao, C.-m., 735.
 Limit equilibrium method with local factors of safety for slope stability: Discussion. Chugh, A.K., 840.
 Limit equilibrium method with local factors of safety for slope stability: Reply. Srbulov, M.M., 842.

07. *Seepage and other Hydraulic Problems*

- Viscosity and dielectric constant controls on the hydraulic conductivity of clayey soils permeated with water-soluble organics. Fernandez, F., and Quigley, R.M., 582.
 Eleventh Canadian Geotechnical Colloquium: Contaminant migration through groundwater—the role of modelling in the design of barriers. Rowe, R.K., 778.
 Modeling groundwater flow and pollution. By Jacob Bear and Arnold Verruijt. Freeze, A., 851.

08. *Dynamic Problems*

- Dynamic behaviour of single piles under strong harmonic excitation. Han, Y., and Novak, M., 523.

09. *Frost Action and Heat-Transfer Problems*

- Pile load tests in saline permafrost at Clyde River, Northwest Territories. Nixon, J.F.(D.), 24.
 Numerical analysis of temperature field in a thawing embankment in permafrost. Shen, M., 163.
 Subsoil investigation of ice lensing at the Calgary, Canada, frost heave test facility. Carlson, L.E., and Nixon, J.F.(D.), 307.
 The permafrost environment. By Stuart A. Harris. Domaschuk, L., 409.
 Two case histories of major frost heaving in refrigerated buildings: thermal analyses, repairs, and prevention. Chapuis, R.P., 535.
 A method to estimate active-layer thickness on the basis of correlations between terrain and climatic parameters as measured in northern Quebec. Gray, J.T., Pilon, J., and Poitevin, J., 607.

11. *Soil-Vehicle and Soil-Tool interaction*

- Thomas Roy and his "Remarks on road-making" (1841). Legget, R.F., 1.

12. *Soil-Structure Interaction*

- Numerical studies of soil-structure interaction using a simple interface model. Griffiths, D.V., 158.
 The induced trench method—a critical review and case history. Sladen, J.A., and Oswell, J.M., 541.
 Field measurements of the behavior of inclined footings on a natural slope. Clark, J.I., McKeown, S., and Crawford, C.B., 662.

13. *Mathematical Methods, Computer Analysis*

- Finite element analysis of the stability of a vertical cut using an anisotropic soil model. Banerjee, P.K., Kumbhojkar, A.S., and Yousif, N.B., 119.
 Analysis of foundation settlements at Ridgway Dam. Chugh, A.K., and Davidson, L.W., 716.
 Eleventh Canadian Geotechnical Colloquium: Contaminant migration through groundwater—the role of modelling in the design of barriers. Rowe, R.K., 778.
 Limit equilibrium method with local factors of safety for slope stability: Discussion. Chugh, A.K., 840.
 Limit equilibrium method with local factors of safety for slope stability: Reply. Srbulov, M.M., 842.

14. *Model Test Analysis*

- Displacements of footings on sand under eccentric and inclined loads. Georgiadis, M., and Butterfield, R., 199.
 Stress characteristics for shallow footings in cohesionless slopes. Graham, J., Andrews, M., and Shields, D.H., 238.
 Cyclic behaviour of plate anchors. Ponniah, D.A., and Finlay, T.W., 374.
 Effects of reinforcing elements on the behavior of weakly cemented sands. Li, L., and Mitchell, R., 389.
 Developments in soil mechanics and foundation engineering—I. Edited by P.K. Banerjee and R. Butterfield. Mitchell, R.J., 408.
 Lateral resistance and deflection of flexible piles. Meyerhof, G.G., Sastry, V.V.R.N., and Yalcin, A.S., 511.

F. Rock Properties: Laboratory and *In-Situ* Determinations

00. *General*

- Ground engineer's reference book. Edited by F.G. Bell. McRostie, G., 852.

01. *Classification and Description of Rocks and Rock Masses*

- A method for evaluating the representative elementary volume based on joint survey of rock masses. Oda, M., 440.
 Subsurface fracture surveys using a borehole television camera and acoustic televiewer: Discussion. Cruden, D.M., 843.
 Subsurface fracture surveys using a borehole television camera and acoustic televiewer: Reply. Lau, J.S.O., Auger, L.F., and Bisson, J.G., 844.

03. *Composition, Density, and Structural Features*

- A method for evaluating the representative elementary volume based on joint survey of rock masses. Oda, M., 440.
 Subsurface fracture surveys using a borehole television camera and acoustic televiewer: Discussion. Cruden, D.M., 843.
 Subsurface fracture surveys using a borehole television camera and acoustic televiewer: Reply. Lau, J.S.O., Auger, L.F., and Bisson, J.G., 844.

06. *Shear-Deformation and Strength Properties*

A compressive strength criterion for anisotropic rock materials. Ashour, H.A., 233.

The mechanism of deformation and fracture in potash rock. Lajtai, E.Z., and Duncan, E.J.S., 262.

G. Analysis of Rock-Engineering Problems01. *Stress Analysis*

Design and performance evaluation of vertical shafts: rational shaft design method and verification of design method. Wong, R.C.K., and Kaiser, P.K., 320.

02. *Deformation and Displacement Problems*

Mining subsidence in Lethbridge, Alberta. Sladen, J.A., and Joshi, R.C., 768.

05. *Rock Pressure on Tunnels and Underground Openings*

Design and performance evaluation of vertical shafts: rational shaft design method and verification of design method. Wong, R.C.K., and Kaiser, P.K., 320.

06. *Stability of Rock Slopes and Open Excavations*

Casagrande resistance envelopes for rock and rockfill slopes having circular slip surfaces. Baikie, L.D., 42.

The performance of longwall gate roads with soft floors. Afrouz, A., Hassani, F.P., and Scoble, M.J., 279.

Geotechnical engineering beyond soil mechanics—a case study. Morgenstern, N.R., Fair, A.E., and McRoberts, E.C., 637.

12. *Rock-Structure Interaction*

Design and performance evaluation of vertical shafts: rational shaft design method and verification of design method. Wong, R.C.K., and Kaiser, P.K., 320.

13. *Mathematical Methods, Computer Analysis*

A compressive strength criterion for anisotropic rock materials. Ashour, H.A., 233.

The performance of longwall gate roads with soft floors. Afrouz, A., Hassani, F.P., and Scoble, M.J., 279.

14. *Model Test Analysis*

Behaviour of vertical shafts: reevaluation of model test results and evaluation of field measurements. Wong, R.C.K., and Kaiser, P.K., 338.

Developments in soil mechanics and foundation engineering—1. Edited by P.K. Banerjee and R. Butterfield. Mitchell, R.J., 408.

H. Design, Construction, and Behaviour of Engineering Works00. *General*

Prediction of wick drain performance using piezometer cone data. Robertson, P.K., Campanella, R.G., Brown, P.T., and Robinson, K.E., 56.

Bases de l'élaboration des projets et de la construction sur les sols loessiques affaissables (Traduction française de la 3^e édition russe (1979)). Par Yu M. Abelev et M. Yu Abelev. Montes, P., 176.

Suit is a four letter word. By Hugh W. Nasmith. Seychuk, J.L., 177.

Les argiles de l'est du Canada et leur contribution à la compréhension du comportement de l'argile. La Rochelle, P., Tavenas, F., et Leroueil, S., 413.

Prediction and performance in geotechnical engineering. Edited by R.C. Joshi and F.J. Griffiths. Houlsby, G.T., 633.

01. *Foundations of Structures (other than Dams)*

Seismic response of long-period sites: lessons from the September 19, 1985, Mexican earthquake. Finn, W.D.L., and Nichols, A.M., 128.

Performance of a raft foundation supporting a multistorey structure. Landva, A.O., Valsangkar, A.J., Alkins, J.C., and Charalambous, P.D., 138.

Drilled pile behaviour in granular deposits. Sharma, H.D., and Joshi, R.C., 222.

Lateral resistance and deflection of flexible piles. Meyerhof, G.G., Sastry, V.V.R.N., and Yalcin, A.S., 511.

Field observations of soft clay consolidation in the Fraser Lowland: Discussion. Juárez-Badillo, E., 631.

Field observations of soft clay consolidation in the Fraser Lowland: Reply. Crawford, C.B., and deBoer, L.J., 632.

Field measurements of the behavior of inclined footings on a natural slope. Clark, J.I., McKeown, S., and Crawford, C.B., 662.

Large-diameter bored and grouted piles in marine sediment of the Red Sea. Ghazali, F.M., Sotiropoulos, E., and Mansour, O.A., 826.

Down to earth—Foundations past and present: the invisible art of the builder. By Jean Kerisel. Lansdown, A.M., 853.

02. *Retaining Structures and Cut-off Walls*

Eleventh Canadian Geotechnical Colloquium: Contaminant migration through groundwater—the role of modelling in the design of barriers. Rowe, R.K., 778.

03. *Offshore Structures*

Large-diameter bored and grouted piles in marine sediment of the Red Sea. Ghazali, F.M., Sotiropoulos, E., and Mansour, O.A., 826.

04. *Dams and Reservoirs*

Clayey barrier assessment for impoundment of domestic waste leachate (southern Ontario) including clay-leachate compatibility by hydraulic conductivity testing. Quigley, R.M., Fernandez, F., and Rowe, R.K., 574.

Analysis of foundation settlements at Ridgway Dam. Chugh, A.K., and Davidson, L.W., 716.

05. Tunnels and Underground Openings

Behaviour of vertical shafts: reevaluation of model test results and evaluation of field measurements. Wong, R.C.K., and Kaiser, P.K., 338.

06. Roads, Railroads, and Airfields

Thomas Roy and his "Remarks on road-making" (1841). Legget, R.F., 1.

Aggregates: sand, gravel, and crushed rock aggregates for construction purposes. *Edited by* L. Collis and R.A. Fox. Rogers, C.A., 854.

08. Conduits and Culverts

Subsoil investigation of ice lensing at the Calgary, Canada, frost heave test facility. Carlson, L.E., and Nixon, J.F.(D.), 307.

The induced trench method—a critical review and case history. Sladen, J.A., and Oswell, J.M., 541.

09. Slopes and Unsupported Excavations

Modelling of flow through potash tailings piles. Wong, D.K.H., Barbour, S.L., and Fredlund, D.G., 292.

A hydrochemical study of urban landslides caused by heavy rain: Scarborough Bluffs, Ontario, Canada. Eyles, N., and Howard, K.W.F., 455.

Viscous-type sliding laws for landslides. Vulliet, L., and Hutter, K., 467.

Slope stability: geotechnical engineering and geomorphology. *Edited by* M.G. Anderson and K.S. Richards. Lew, K.V., 634.

Geotechnical engineering beyond soil mechanics—a case study. Morgenstern, N.R., Fair, A.E., and McRoberts, E.C., 637.

Field measurements of the behavior of inclined footings on a natural slope. Clark, J.I., McKeown, S., and Crawford, C.B., 662.

Behaviour of a test excavation in soft Champlain Sea clay. Lafleur, J., Silvestri, V., Asselin, R., and Soulié, M., 705.

Evaluation of minimum factor of safety in slope stability analysis. Chen, Z.-y., and Shao, C.-M., 735.

10. Land Use

A hydrochemical study of urban landslides caused by heavy rain: Scarborough Bluffs, Ontario, Canada. Eyles, N., and Howard, K.W.F., 455.

Viscosity and dielectric constant controls on the hydraulic conductivity of clayey soils permeated with water-soluble organics. Fernandez, F., and Quigley, R.M., 582.

K. Construction Methods and Equipment**00. General**

Suit is a four letter word. *By* Hugh W. Nasmith. Seychuk, J.L., 177.

01. Drainage Methods

Dewatering optimization using a groundwater flow model at the Whitewood open-pit coal mine, Alberta. Sumer, S.M., Elton, J.J., and Tapics, J.A., 684.

02. Sealing and Grouting Processes

Eleventh Canadian Geotechnical Colloquium: Contaminant migration through groundwater—the role of modelling in the design of barriers. Rowe, R.K., 778.

03. Preloading and Soil Replacement

The induced trench method—a critical review and case history. Sladen, J.A., and Oswell, J.M., 541.

04. Earthworks and Rock Excavation, Processing and Transportation

Casagrande resistance envelopes for rock and rockfill slopes having circular slip surfaces. Baikie, L.D., 42.

Aggregates: sand, gravel, and crushed rock aggregates for construction purposes. *Edited by* L. Collis and R.A. Fox. Rogers, C.A., 854.

05. Compaction Processes

Effects of reinforcing elements on the behavior of weakly cemented sands. Li, L., and Mitchell, R., 389.

Aggregates: sand, gravel, and crushed rock aggregates for construction purposes. *Edited by* L. Collis and R.A. Fox. Rogers, C.A., 854.

07. Piles and Pile Driving, incl. Sheet Piles

Pile load tests in saline permafrost at Clyde River, Northwest Territories. Nixon, J.F.(D.), 24.

Drilled pile behaviour in granular deposits. Sharma, H.D., and Joshi, R.C., 222.

Lateral resistance and deflection of flexible piles. Meyerhof, G.G., Sastry, V.V.R.N., and Yalcin, A.S., 511.

09. Construction Methods for Shallow Foundations

Field measurements of the behavior of inclined footings on a natural slope. Clark, J.I., McKeown, S., and Crawford, C.B., 662.

12. Offshore Construction

Normalized behavior of offshore clay under uniform cyclic loading. Vucetic, M., 33.

Constant-volume friction angle of granular materials. Negussey, D., Wijewickreme, W.K.D., and Vaid, Y.P., 50.

Marine geotechnical engineering in Canada. Clark, J.I., and Guigné, J.Y., 179.

Geotechnical aspects of seabed pits in the Grand Banks area. Clark, J.I., and Landva, J., 448.

Independence of geostatic stress from overconsolidation in some Beaufort Sea clays: Discussion. Mayne, P.W., and Kulhawy, F.H., 617.

Independence of geostatic stress from overconsolidation in some Beaufort Sea clays: Discussion. Mesri, G., and Feng, T.W., 621.

Independence of geostatic stress from overconsolidation in some Beaufort Sea clays: Reply. Jefferies, M.G., Crooks, J.H.A., Becker, D.E., and Hill, P.R., 624.

13. Protection Measures against Frost

The permafrost environment. By Stuart A. Harris. Domaschuk, L., 409.

Two case histories of major frost heaving in refrigerated buildings: thermal analyses, repairs, and prevention. Chapuis, R.P., 535.

A method to estimate active-layer thickness on the basis of correlations between terrain and climatic parameters as measured in northern Quebec. Gray, J.T., Pilon, J., and Poitevin, J., 607.

14. Measures for Improving Deformation and Stability Conditions, Reconstruction of Foundations

Effects of reinforcing elements on the behavior of weakly cemented sands. Li, L., and Mitchell, R., 389.

Dewatering optimization using a groundwater flow model at the Whitewood open-pit coal mine, Alberta. Sumer, S.M., Elton, J.J., and Tapics, J.A., 684.

M. Materials of Construction**03. Bituminous Materials**

Marine geotechnical engineering in Canada. Clark, J.I., and Guigné, J.Y., 179.

04. Plastics and Similar Materials

Prediction of wick drain performance using piezometer cone data. Robertson, P.K., Campanella, R.G., Brown, P.T., and Robinson, K.E., 56.

S. Snow and Ice Mechanics and Engineering**02. Properties of Snow and Ice**

The creep of ice measured with the pressuremeter. Kjartanson, B.H., Shields, D.H., Domaschuk, L., and Man, C.-S., 250.

Subsoil investigation of ice lensing at the Calgary, Canada, frost heave test facility. Carlson, L.E., and Nixon, J.F.(D.), 307.

Field measurements of stresses and deformations in a first-year ice cover adjacent to a wide structure. Sayed, M., Frederking, R., and Wessels, E., 726.

03. Snow and Ice Engineering

Pile load tests in saline permafrost at Clyde River, Northwest Territories. Nixon, J.F.(D.), 24.

Field measurements of stresses and deformations in a first-year ice cover adjacent to a wide structure. Sayed, M., Frederking, R., and Wessels, E., 726.


T. Related Disciplines**10. Ocean Engineering**

Normalized behavior of offshore clay under uniform cyclic loading. Vucetic, M., 33.

Constant-volume friction angle of granular materials. Negussey, D., Wijewickreme, W.K.D., and Vaid, Y.P., 50.

14. Environmental Problems and Nature Conservation

Laboratory determination of diffusion and distribution coefficients of contaminants using undisturbed clayey soil. Rowe, R.K., Caers, C.J., and Barone, F., 108.



CONTENTS/SOMMAIRE

FEBRUARY/FÉVRIER

Instructions to authors	iii
Recommandations aux auteurs	iv
ARTICLES	
Robert F. Legget Thomas Roy and his "Remarks on roadmaking" (1841)	1
Y. K. Chow, G. P. Karunaratne, K. Y. Wong, and S. L. Lee Prediction of load-carrying capacity of driven piles	13
J. F. (Derick) Nixon Pile load tests in saline permafrost at Clyde River, Northwest Territories	24
Mladen Vucetic Normalized behavior of offshore clay under uniform cyclic loading	33
L. D. Baikie Casagrande resistance envelopes for rock and rockfill slopes having circular slip surfaces	42
D. Negussey, W. K. D. Wijewickreme, and Y. P. Vaid Constant-volume friction angle of granular materials	50
P. K. Robertson, R. G. Campanella, P. T. Brown, and K. E. Robinson Prediction of wick drain performance using piezometer cone data	56
Robert P. Chapuis, Vincent Silvestri, and Michel Soulié Theoretical bearing capacity of clay under shallow footings: verifying whether it is realistic	62
Vinod K. Garga Effect of sample size on consolidation of a fissured clay	76
Serge Leroueil Tenth Canadian Geotechnical Colloquium: Recent developments in consolidation of natural clays	85
R. Kerry Rowe, Chris J. Caers, and Frank Barone Laboratory determination of diffusion and distribution coefficients of contaminants using undisturbed clayey soil	108
P. K. Banerjee, A. S. Kumbhojkar, and N. B. Yousif Finite element analysis of the stability of a vertical cut using an anisotropic soil model	119
W. D. Liam Finn and Andrew M. Nichols Seismic response of long-period sites: lessons from the September 19, 1985, Mexican earthquake	128
A. O. Landva, A. J. Valsangkar, J. C. Alkins, and P. D. Charalambous Performance of a raft foundation supporting a multistorey structure	138
TECHNICAL NOTES/NOTES TECHNIQUES	
Paul W. Mayne and James K. Mitchell Profiling of overconsolidation ratio in clays by field vane	150
D. V. Griffiths Numerical studies of soil-structure interaction using a simple interface model	158
Mu Shen Numerical analysis of temperature field in a thawing embankment in permafrost	163
Larry Dyke and Paul Egginton Till behavior and its relationship to active-layer hydrology, District of Keewatin, Northwest Territories	167
DISCUSSIONS	
R. Arroyo and C. Sagaseta Undrained shear strength in the surficial weathered crust: Discussion	173
Guy Lefebvre, Jean-Jacques Paré, and Oscar Dascal Undrained shear strength in the surficial weathered crust: Reply	175
BOOK REVIEWS/CRITIQUES DE LIVRES	
Pierre Montes Bases de l'élaboration des projets et de la construction sur les sols loessiques affaissables (Traduction française de la 3 ^e édition russe (1979)). Par Yu M. Abelev et M. Yu Abelev	176
John L. Seychuk Suit is a four letter word. By Hugh W. Nasmith	177

MAY/MAI

ARTICLES	
J. I. Clark and J. Y. Guigné Marine geotechnical engineering in Canada	179
M. Georgiadis and R. Butterfield Displacements of footings on sand under eccentric and inclined loads	199
Alexander Chudnovsky, Adel Saada, and Alan J. Lesser Micromechanisms of deformation in fracture of overconsolidated clays	213
Hari D. Sharma and R. C. Joshi Drilled pile behaviour in granular deposits	222
Hamdy A. Ashour A compressive strength criterion for anisotropic rock materials	233
J. Graham, M. Andrews, and D. H. Shields Stress characteristics for shallow footings in cohesionless slopes	238
B. H. Kjartansson, D. H. Shields, L. Domaschuk, and C.-S. Man The creep of ice measured with the pressuremeter	250
Emery Z. Lajtai and E. J. Scott Duncan The mechanism of deformation and fracture in potash rock	262
A. Afrouz, F. P. Hassani, and M. J. Scoble The performance of longwall gate roads with soft floors	279
D. K. H. Wong, S. L. Barbour, and D. G. Fredlund Modelling of flow through potash tailings piles	292
L. E. Carlson and J. F. (Derick) Nixon Subsoil investigation of ice lensing at the Calgary, Canada, frost heave test facility	307
R. C. K. Wong and P. K. Kaiser Design and performance evaluation of vertical shafts: rational shaft design method and verification of design method	320
R. C. K. Wong and P. K. Kaiser Behaviour of vertical shafts: reevaluation of model test results and evaluation of field measurements	338
Surendra K. Saxena, Anestis S. Avramidis, and Krishna R. Reddy Dynamic moduli and damping ratios for cemented sands at low strains	353

TECHNICAL NOTES/NOTES TECHNIQUES

Thomas C. Nichols, Jr., Kenneth W. King, Donley S. Collins, and Robert A. Williams	Seismic-reflection technique used to verify shallow rebound fracture zones in the Pierre Shale of South Dakota	369
D. A. Ponniah and T. W. Finlay	Cyclic behaviour of plate anchors	374
Jacques Locat and Serge Leroueil	Physicochemical and geotechnical characteristics of recent Saguenay Fjord sediments	382
Loretta Li and Robert Mitchell	Effects of reinforcing elements on the behavior of weakly cemented sands	389
Muniram Budhu	Failure state of a sand in simple shear	395
Guy Lefebvre and Serge Malenfant	Cyclic shear strength of a loose glacial till	401

BOOK REVIEWS/CRITIQUES DE LIVRES

R. J. Mitchell	Developments in soil mechanics and foundation engineering—1. <i>Edited by P. K. Banerjee and R. Butterfield</i>	408
K. Been	Developments in soil mechanics and foundation engineering—2. <i>Edited by P. K. Banerjee and R. Butterfield</i>	408
Len Domaschuk	The permafrost environment. <i>By Stuart A. Harris</i>	409

ERRATUM

D. M. Cruden and T. M. Eaton	Erratum: Reconnaissance of rockslide hazards in Kananaskis Country, Alberta	411
-------------------------------------	-----------------------------------------------------------------------------	-----

AUGUST/AOÛT

ARTICLES

Pierre La Rochelle, François Tavenas et Serge Leroueil	Les argiles de l'est du Canada et leur contribution à la compréhension du comportement de l'argile	413
J. H. Atkinson and J. A. Little	Undrained triaxial strength and stress-strain characteristics of a glacial till soil	428
Masanobu Oda	A method for evaluating the representative elementary volume based on joint survey of rock masses	440
J. I. Clark and J. Landva	Geotechnical aspects of seabed pits in the Grand Banks area	448
N. Eyles and K. W. F. Howard	A hydrochemical study of urban landslides caused by heavy rain: Scarborough Bluffs, Ontario, Canada	455
Laurent Vulliet and Kolumban Hutter	Viscous-type sliding laws for landslides	467
Vinod K. Garga	Effect of sample size on shear strength of basaltic residual soils	478
Pierre Morin	Density of granular materials derived from X-ray photographs: calibration, reliability, and recommended procedures	488
J. K. M. Gan, D. G. Fredlund, and H. Rahardjo	Determination of the shear strength parameters of an unsaturated soil using the direct shear test	500
G. G. Meyerhof, V. V. R. N. Sastry, and A. S. Yalcin	Lateral resistance and deflection of flexible piles	511
Yingcai Han and Milos Novak	Dynamic behaviour of single piles under strong harmonic excitation	523
Robert P. Chapuis	Two case histories of major frost heaving in refrigerated buildings: thermal analyses, repairs, and prevention	535
J. A. Sladen and J. M. Oswell	The induced trench method—a critical review and case history	541
George T. Dounias, David M. Potts, and Peter R. Vaughan	The shear strength of soils containing undulating shear zones—a numerical study	550
M. G. Jefferies	Determination of horizontal geostatic stress in clay with self-bored pressuremeter	559
Robert M. Quigley, Federico Fernandez, and R. Kerry Rowe	Clayey barrier assessment for impoundment of domestic waste leachate (southern Ontario) including clay-leachate compatibility by hydraulic conductivity testing	574
F. Fernandez and R. M. Quigley	Viscosity and dielectric constant controls on the hydraulic conductivity of clayey soils permeated with water-soluble organics	582

TECHNICAL NOTES/NOTES TECHNIQUES

Nabil F. Ismael, A. M. Jeragh, O. A. Khalidi, and M. A. Mollah	Correlation between standard penetration test values and overburden pressure for desert sands	590
Eulalio Juárez-Badillo	Postsurcharge secondary compression equation for clays	594
Raymond N. Yong and Diana Mourato	Extraction and characterization of organics from two Champlain Sea subsurface soils	599
James T. Gray, Jean Pilon, and Jean Poitevin	A method to estimate active-layer thickness on the basis of correlations between terrain and climatic parameters as measured in northern Quebec	607

DISCUSSIONS

Paul W. Mayne and Fred H. Kulhawy	Independence of geostatic stress from overconsolidation in some Beaufort Sea clays: Discussion	617
G. Mesri and T. W. Feng	Independence of geostatic stress from overconsolidation in some Beaufort Sea clays: Discussion	621
M. G. Jefferies, J. H. A. Crooks, D. E. Becker, and P. R. Hill	Independence of geostatic stress from overconsolidation in some Beaufort Sea clays: Reply	624
E. Juárez-Badillo	Field observations of soft clay consolidation in the Fraser Lowland: Discussion	631
C. B. Crawford and L. J. deBoer	Field observations of soft clay consolidation in the Fraser Lowland: Reply	632

BOOK REVIEWS/CRITIQUES DE LIVRES

G. T. Housby	Prediction and performance in geotechnical engineering. <i>Edited by R. C. Joshi and F. J. Griffiths</i>	633
D. H. Shields	Pressuremeter testing: methods and interpretation. <i>By R. J. Mair and D. M. Wood</i>	634
K. V. Lew	Slope stability: geotechnical engineering and geomorphology. <i>Edited by M. G. Anderson and K. S. Richards</i>	634

ARTICLES

- N. R. Morgenstern, A. E. Fair, and E. C. McRoberts Geotechnical engineering beyond soil mechanics—a case study 637
- J. I. Clark, S. McKeown, and C. B. Crawford Field measurements of the behavior of inclined footings on a natural slope 662
- Jean-Marie Fleureau, Legowo Wignyardarsono, and Moulay-Idriss Zerhouni Effect of surfactants on the mechanical properties of a kaolinite in relation to the solid-liquid contact angles 675
- S. M. Sumer, J. J. Elton, and J. A. Topics Dewatering optimization using a groundwater flow model at the Whitewood open-pit coal mine, Alberta 684
- P. S. Toth, H. T. Chan, and C. B. Cragg Coal ash as structural fill, with special reference to Ontario experience 694
- J. Lafleur, V. Silvestri, R. Asselin, and M. Soulié Behaviour of a test excavation in soft Champlain Sea clay 705
- Ashok K. Chugh and Luther W. Davidson Analysis of foundation settlements at Ridgway Dam 716
- M. Sayed, R. Frederking, and E. Wessels Field measurements of stresses and deformations in a first-year ice cover adjacent to a wide structure 726
- Zu-yu Chen and Chang-ming Shao Evaluation of minimum factor of safety in slope stability analysis 735
- J. D. Mollard First R. M. Hardy Memorial Lecture: Fracture lineament research and applications on the western Canadian plains 749
- J. A. Sladen and R. C. Joshi Mining subsidence in Lethbridge, Alberta 768
- R. Kerry Rowe Eleventh Canadian Geotechnical Colloquium: Contaminant migration through groundwater—the role of modelling in the design of barriers 778
- Jacques Locat and Denis Demers Viscosity, yield stress, remolded strength, and liquidity index relationships for sensitive clays 799
- G. Baldi, T. Hueckel, and R. Pellegrini Thermal volume changes of the mineral-water system in low-porosity clay soils 807

TECHNICAL NOTES/NOTES TECHNIQUES

- Fouad M. Ghazali, Elias Sotiropoulos, and Osama A. Mansour Large-diameter bored and grouted piles in marine sediment of the Red Sea 826
- E. Karl Sauer and E. A. Christiansen Preconsolidation pressures in intertill glaciolacustrine clay near Blaine Lake, Saskatchewan 831

DISCUSSIONS

- Ashok K. Chugh Limit equilibrium method with local factors of safety for slope stability: Discussion 840
- Milutin M. Sribulov Limit equilibrium method with local factors of safety for slope stability: Reply 842
- D. M. Cruden Subsurface fracture surveys using a borehole television camera and acoustic televiewer: Discussion 843
- J. S. O. Lau, L. F. Auger, and J. G. Bisson Subsurface fracture surveys using a borehole television camera and acoustic televiewer: Reply 844
- P. Morin Work as a criterion for determining *in situ* and yield stresses in clays: Discussion 845
- D. E. Becker, J. H. A. Crooks, K. Been, and M. G. Jefferies Work as a criterion for determining *in situ* and yield stresses in clays: Reply 848

BOOK REVIEWS/CRITIQUES DE LIVRES

- Allan Freeze Modeling groundwater flow and pollution. By Jacob Bear and Arnold Verruijt 851
- Gordon McRostie Ground engineer's reference book. Edited by F. G. Bell 852
- A. M. Lansdown Down to earth—Foundations past and present: the invisible art of the builder. By Jean Kerisel 853
- C. A. Rogers Aggregates: sand, gravel, and crushed rock aggregates for construction purposes. Edited by L. Collis and R. A. Fox 854

Announcement / Avis

i

Note of appreciation / Note de reconnaissance

ii

Author index for Volume 25 / Index des auteurs pour volume 25

AI-1

Subject index for Volume 25 / Index des matières pour volume 25

SI-1

Contents for Volume 25 / Sommaire pour volume 25

vii